

Certificate of Registration

Certificate Number 364

Placed on the Market under the Name of

**Egger (UK) Limited
Anick Grange Road
Hexham
Northumberland
NE46 4JS
United Kingdom**

and produced in the manufacturing plant

Egger (UK) Limited, Anick Grange Road, Hexham, Northumberland, NE46 4JS, United Kingdom

This certificate attests that all provisions have been met concerning the BM TRADA requirements of the scheme:

Q-Mark Timber Fire Door Manufacture

Date of Initial Certification: **17/04/2009**

Date of Last Issue: **15/08/2024**

Date of Expiry: **17/04/2027**



Jon Lessimore (Divisional Director)
For and on behalf of Element

Scope of Certification

Primary Field of Application (FoA) Reports (owned by this certified company)

Either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	Rev	Owned by Certified Company named on this certificate	Doorset Description	Integrity Period	FoA Standard
Fire	Chilt/A13085	F	Egger (UK) Ltd	Egger FD30 and FD30 Decor	30min	BS476 Part 22
Smoke	N/A	-	-			

Primary Field of Application (FoA) Reports (owned by and cascaded by a System Supplier)

The revision status of each FoA can be verified on the BM TRADA website under each System Supplier's certification entry. They are either used in isolation, or can be used in conjunction with an appropriate associated document for this company, providing that the FoA report allows it and that both documents are compatible with each other. Where more than one primary FoA is listed for the same doorset type, they cannot be mix and matched, only one FoA is to be chosen and followed precisely.

Type	FoA Report	System Supplier owner of Assessment Report	Doorset Description	Integrity Period	FoA Standard
Fire	-	-	-	-	-
Smoke	-	-			

Test Reports

Test reports cannot be used in conjunction with any primary FoA reports, other test reports or associated documents. They must be followed precisely without any deviation whatsoever.

No specification or parameter changes are allowed at all from that stated within the test report such as size, shape, design, glazing, leaf/frame specification, hardware etc.

Test Report	Owner of Test Report	Doorset Description	Integrity Period	Test Standard
-	-	-	-	-